



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

October 13, 2016

Ms. J. Evelyn Lawson  
Federal Registration Specialist  
Clorox Professional Products Company  
C/o PS&RC; Post Office Box 493  
Pleasanton, CA 94566-0803

Subject: Notification per PRN 98-10 – Minor Label Changes  
Product Name: Dispatch Hospital Cleaner Disinfectant with Bleach  
EPA Registration Number: 56392-7  
Application Date: September 9, 2016  
Decision Number: 521487

Dear Ms. Lawson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Killian Swift at 703-308-6346 or via email at [Swift.Killian@epa.gov](mailto:Swift.Killian@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "DF", with a long horizontal line extending to the right.

Demson Fuller  
Product Manager – Team 32  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

**Note: Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information and phrase sequence are optional unless specified in 40 CFR 156.10. Variables such as CAPITALIZATION, plurals or singular, bold and italics are optional unless specified in 40 CFR.] Optional text may be placed anywhere on the label/container. Listed uses and use sites can be used partially or in their entirety. **Highlighted** text is new. Strike-through (text) means removed.  
R0886108

# DISPATCH®

## Hospital Cleaner Disinfectant with Bleach

NOTIFICATION

56392-7

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

Read Complete Directions and Precautions on Package -and/or- Rear Panels -and/or- Attached Complete Label

Active Ingredient:	10/13/2016
Sodium Hypochlorite .....	0.65%
Other Ingredients: .....	99.35%
Total .....	100.00%

[Available Chlorine...0.62%]  
[6175 PPM [Parts Per Million] Available Chlorine]

Contains no phosphorus

[Net] [Contents] \_\_\_\_\_

## **PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.**

### **CAUTION:**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### **FIRST AID:**

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 min[utes]. If present, remove contact lenses after the first 5 min[utes], then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### **PHYSICAL OR CHEMICAL HAZARDS**

Do not use this product with ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners. This product not intended for use on fabrics.

### **STORAGE AND DISPOSAL:**

#### ***Statement for Refillable Containers***

Store this product in a cool, dry area, away from direct sunlight and heat. Refillable container. Refill empty [**Product Name**] [**this product**] spray container only from [**Product Name**] [**this product**] refill bottle. Cleaning before refilling is the responsibility of the refiller. Take care to update expiration date on refillable bottle and replace bottle if it becomes worn or damaged. Do not reuse this container for any other purpose. Rinse container with water prior to disposal. Cleaning the container before final disposal is the responsibility of the person disposing of the container. When discarding container, place in trash collection or take to recycling center. Do not contaminate water, food, or feed by storage and disposal.

#### ***Statement for Nonrefillable Containers***

Store this product in a cool, dry area, away from direct sunlight and heat. Nonrefillable container. Do not reuse or refill this container. When discarding container, place in trash collection or take to recycling center. Do not contaminate water, food, or feed by storage and disposal.

#### ***Statement for containers of 5 gallons or 50 lb or more***

### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**[QUESTIONS OR COMMENTS?]** Call (800) 234-7700.

Visit us at -or- For **[M]**SDS information, please go to [www.cloroxhealthcare.com](http://www.cloroxhealthcare.com).

~~A list of this~~ **For more** product's ingredients is available at **information, visit** [www.IngredientsInside.com](http://www.IngredientsInside.com)

~~-or- A list of [this product's] [**product name**] ingredients is available at~~ **insert company website.**

Manufactured[-] for [:] [© XXXX] Clorox Professional Products Company[.]

1221 Broadway, Oakland, CA 94612

Clorox Healthcare -or- **insert trademark** is a [registered] trademark of The Clorox Company

-or- Clorox Professional Products Company

~~800-234-7700~~

[Clorox is a registered trademark of the Clorox Company]

**[© XXXX]** Made in [the] U.S.A. [of global components -and/or- ingredients.]

EPA Reg. No. 56392-7

EPA Est. No. 5813-GA-1 (A4), CA-6 (TPP); GA-2 (VG) ; IL-2 (VF); IL-2 (VF);

8251-OH-1 (Q6); **WI-2 (KW), WI-3 (KV), WI-5 (UQ); 50757-WI-1 (VN)**

Beginning of batch code indicates Est. No.

**Packaging Related Statements and Icons:**



**Padlock icon unlocked and locked (on bottle shrink) with corresponding arrow (molded into trigger)**

[Peel] [Pull back] [here] [for additional instructions] -or- Peel for [additional] directions [for use]

**[Refill only with this product]**

**To Operate:**

Open hinged cover of sprayer and snap into opening on top. -or- Turn -or- Rotate nozzle [counterclockwise] to “spray” -or- “stream” -or- ON [setting]. -or- Adjust [nozzle] to desired pattern.

-or-

To open, turn nozzle. Spray 6-8 inches from surface. Rub -or- wipe with brush -or- paper towel -or- sponge -or- lint-free cloth -or- cloth. • [When almost empty, -or- To spray every drop[,][:] tilt bottle downward -or- at a downward angle [while spraying].]

- [To foam (close screen on nozzle) or spray (open screen on nozzle)].
- To Foam -or- Spray: Turn -or- Rotate nozzle to ON.

**Alternate for Refill Bottle:** To Refill [Spray Bottles]:

**[Remove]** [1.] Remove trigger sprayer -or- cap [from empty bottle]

**[Pour]** [2.] Unscrew cap on refill and pour contents directly into empty bottle. [Use a funnel to minimize product spills -or- waste.]


**[Use]** [3.] Replace trigger sprayer [and use as you normally would.] -or-

[Remove trigger sprayer from empty bottle,] [u]Unscrew cap and transfer your trigger to this bottle. -or- Replace cap and use as you normally would. Fill -or- refill the **insert number** [fl] oz **this product** spray bottle with this product refill. Pour product into spray bottle over sink or tub basin.

[Refill only with this product.]

**Alternate for Refill Bottle:** To Refill [Spray Bottles]:

**To refill:** Turn trigger on spray bottle [1/8th turn] counterclockwise [and pull upwards] to remove. [After refilling spray bottle,] Replace trigger by aligning tube on trigger with [opening] [tube] inside bottle [and turn clockwise] [while pushing down] [-and/or- push [sprayer] [straight] down [until it clicks] [-and/or- locks into place]].



**Trigger options: To refill:** Twist trigger [on spray bottle] [1/4 turn] [counterclockwise] [and pull up -or- upward[s]] to remove. [Fill spray bottle with refill solution.] [After refilling spray bottle,] [to replace trigger,] Align [red tip] tube on trigger [head] over [small] opening -or- tube [on] [the] inside [of the bottle]. [[Note that] trigger [head] should point in [the] same direction as [the] tube [running] on the outer edge of the bottle.] Press [straight] down on the trigger [head], [applying even pressure] [until it clicks -and/or- locks] [into place].

**Packaging Related Claims:**

**{Now}[!] -and/or- [New][!] -and/&-or- {Improved}[!]} to be used as a claims descriptor only for the first 6 months of product on shelf**

- [Access] [to] [Every] Last Drop Access
- Align to close
- [Be] [Get] RefillSmart<sup>™</sup>[!]
- Get -or- Spray Every [Last] Drop<sup>™</sup>[!]
- Last Drop Access
- No Waste -or- Wasteless Bottle
- Patented design bottle
- Recyclable bottle
- Smart Tube<sup>®</sup>[!]<sup>™</sup> Technology

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
[Always refer to manufacturer's care instructions before using on [equipment] -or- [devices].]

**To [Clean][,] [and] Disinfect [and Deodorize] Hard, Nonporous Surfaces:** [Set trigger to SPRAY.] Spray 6" - 8" -or- 6-8 in[ches] from surface until surface is thoroughly wet. Allow this product to [penetrate and] remain wet for one -or- 1 min[ute] -or- contact time listed below -or- on label. [To kill *Clostridium difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(]spores[)]): let stand for three -or- 3 min[utes].] Then wipe [with a clean[, damp] cloth]. For heavily soiled areas, a precleaning is required. Rinse with potable water for food-contact surfaces. [For all others no rinsing is required.] [If streaking is observed, wipe with a clean, damp cloth -or- microfiber cloth -or- paper towel].

**To Clean -and/or- Deodorize:** Follow directions above [or apply with a clean cloth, mop, or sponge saturated with [**Product Name**] [*this product*] until surface is completely wet. (When applying with a saturated cloth or sponge, gloves should be worn.)] No standing time is required. If streaking is observed, wipe with a clean, damp cloth or paper towel.

**To Clean and Disinfect in a Veterinary Application:** Use to clean and disinfect hard, nonporous surfaces such as feeding and watering equipment, cages, utensils, instruments, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. Pre-clean all surfaces with soap or detergent and rinse with water. Spray surfaces with [**Product Name**] [*this product*] and let stand for one -or- 1 min[ute] -or- contact time listed [below] -or- on label. [To kill *Clostridium difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(]spores[)]], let stand for three -or- 3 min[utes]. Rinse all surfaces with potable water. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treated surfaces have been thoroughly rinsed with water and allowed to dry. Thoroughly scrub all treating, feeding, and watering appliances with soap or detergent, and rinse with potable water before re-use.

### **To Preclean Instruments Prior to Terminal Sterilization/High Level Disinfection:**

**As a pre-cleaning spray** – Place instruments into a suitable container. Spray [**Product Name**] [*this product*] onto instruments to thoroughly wet all surfaces. Let stand for up to 10 min[utes]. Rinse instruments.

**As a pre-cleaning immersion solution** – Fill appropriate size container with a sufficient amount of [**Product Name**] [*this product*] to completely submerge instruments. Place instruments into the container of [**Product Name**] [*this product*], cover, and allow to soak for up to 10 min[utes]. Remove and rinse, and follow with an appropriate cleaning and disinfecting process. Change solution daily.

**As a manual instrument cleaner** – Thoroughly pre-rinse dirty instruments under running water to remove visible, gross debris. Immerse pre-rinsed instruments into an appropriate size container filled with [**Product Name**] [*this product*]. Scrub instruments using a stiff bristle brush until visibly clean. Submerge instruments while scrubbing. Rinse instruments thoroughly. Change solution daily. Follow with an appropriate disinfection process.

**Cleaning of critical and semi-critical devices must be followed by an appropriate terminal sterilization/high-level disinfection process.**

**To Disinfect Hard, Non-porous Surfaces of Non-Critical, Pre-Cleaned Instruments** – Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried. **Spray method** – Spray all surfaces of instruments with [**Product Name**] [*this product*] until thoroughly wet. Let stand for one -or- 1 min[ute] -or- contact time listed [below] -or- on label. [To kill *Clostridium difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> (spores)], let stand for three -or- 3 min[utes]. Wipe with a clean, damp cloth or paper towel and allow to air dry.

## DIRECTIONS FOR USE continued

**KILLS HIV, HBV and HCV ON PRE-CLEANED NONPOROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

**‡ Special Instructions for Cleaning and Decontamination Against Bloodborne Pathogens -or- HIV-1 (AIDS Virus), HBV and HCV on Surfaces/ Objects Soiled with Blood/Body Fluids. Personal Protection:** When handling items soiled with blood or body fluids, use disposable gloves, gowns, masks, and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before applying this product. **Contact Time:** Let stand [for] 1 -or- one min[ute]. For [all] other organisms, see directions for contact times. **Disposal of Infectious Materials:** Use disposable impervious gloves, gowns, masks and eye coverings. Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**Special Instructions for Cleaning Prior to Disinfection against Clostridium difficile spores. Personal Protection:** Wear appropriate barrier protection such as gloves, gowns, masks, or eye covering. **Cleaning Procedure:** Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with [**Product Name**] [**this product**]. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

**Infectious Materials Disposal:** Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

**Disinfection Procedure:** Spray 6" - 8" -or- 6-8 in[ches] from surface until surface is completely wet. Let stand for three -or- 3 min[utes]. Wipe with a clean, damp cloth or paper towel or allow to air dry.

### *Following statement may appear on the label*

Efficacy tests have demonstrated that **Product Name** -or- this product is an effective bactericide, virucide‡, and fungicide in the presence of organic soil (5% blood serum).



*Optional graphics. May be placed anywhere on label/container or collateral labeling.*

**General/Cleaning/Non-Pesticidal Claims:**

**Now[!] -and/or- New[!] -and/&/or- {Improved}[!] to be used as a claims descriptor only for the first 6 months of product on shelf.**

- Cleans [*insert stain(s)/soil(s) from list below*]
- Contains 6500 ppm Sodium Hypochlorite
- [Contains] the cleaning power of Clorox® Bleach
- Convenient [does not require mixing]
- Delivers consistent [sodium hypochlorite] concentration every time[!]
- [Designed] [for] [with] [the] Environmental Services Professional[s] [in] [mind][!]
- Does not contain nonylphenol ethoxylates (NPEs) -and/or- alkylphenol ethoxylates (APEs)
- Does not contain VOCs
- Easy and convenient to use
- Easy to handle
- Eliminates [daily] mixing and measuring
- EVS [Environmental Services] [use]
- Expiration Date [*insert date -or- length of time*]
- [For] general use
- For Hospital [&] [Veterinary] hard, nonporous surfaces
- For Instrument Pre-Cleaning & Disinfection of Non-Critical Instruments
- For use on bathroom surfaces
- For use on nursery surfaces
- Fresh [lingering] bleach scent
- Leaves a fresh bleach scent
- No measuring [required]
- No mixing
- Nonylphenol ethoxylate (NPE) -and/or- alkylphenol ethoxylate (APE) free
- [Note:] This product is compatible with the materials -or- surfaces listed [on the label]
- Pre-measured
- Prevents formulation errors
- Ready to use
- Recyclable [bottle] [product container]
- Removes [*insert stain(s)/soil(s) from list below*]
- Removes stains
- REORDER NO.
- Reuse[able] container
- See Expiration Date on Bottle
- Shelf-stable formula
- Specifically -or- Specially designed for the Medical/Dental/ Veterinary/Health Care industry
- Suitable for hospital use
- Suitable for use on [titanium-coated] [medical grade] stainless steel
- Suitable for use on hard, nonporous inanimate surfaces
- Suitable for use on *insert surface material(s) from Table E*
- [The] smell of clean
- VOC free

**Stains/Soils -or- Stains -and/or- Soils**

- Blood
- Body oils
- Coffee [stains]
- Dead skin
- Dirt
- Fecal matter
- Fingerprints
- Food residue[s] -or- soil[s]
- Fruit [stains]
- Grease
- Grime
- Laboratory stains
- Mildew stains
- Mold stains
- [Other] common soils -and/or- stains
- [Other] organic matter
- Rust
- Tea [stains]
- Urine [stains]

**Pesticidal Claims:**

**Now[!] -and/or- New[!] -and/&/or- ~~Improved~~[!] to be used as a claims descriptor only for the first 6 months of product on shelf.**

- [3 minute] broad spectrum no-rinse disinfectant for non-food contact surfaces
  - A 1:10 sodium hypochlorite solution similar to that recommended by the CDC for effective disinfecting against Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff<sup>¥</sup>)] [spores]
  - A disinfectant liquid for use on **insert use site(s) from tables 1-5**
  - Aids in reducing -or- in the reduction of cross-contamination between treated surfaces
  - [A] one-step cleaner/disinfectant<sup>‡</sup>
  - Appropriate -or- Perfect -or- Ideal for Terminal Cleaning
  - Assures proper dilution strength, product effectiveness and standardizes technique
  - Bacteria -and/or- virus<sup>‡</sup> -and/or- germ fighting [formula]
  - Bactericidal -and/or- Virucidal<sup>‡</sup> -and/or- Fungicidal -and/or- Sporicidal<sup>‡</sup>
  - Bactericide
  - Bathroom disinfectant
  - Broad spectrum disinfectant [with Clorox® Bleach]
  - Broad spectrum [Proven] disinfectant [bactericide, virucide<sup>‡</sup>, fungicide] with efficacy against Clostridium difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> -or- C. difficile<sup>¥</sup> spores.
  - Cleans -and/or- Disinfects -and/or- Deodorizes [in One Step<sup>‡</sup>]
  - [Cleans and] disinfects [hard, nonporous surfaces]
  - [Cleans and] disinfects **insert use site(s) from tables 1-5**
  - Cleans, deodorizes and disinfects
  - Compatible with a wide variety of surfaces. Check cloroxhealthcare.com/compatible
  - Daily use product with Clostridium difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> -or- C. difficile<sup>¥</sup> sporicidal efficacy which allows for product standardization [reduces -or- reducing cleaning complexity]
  - Daily use product with sporicidal<sup>‡</sup> efficacy
  - Deodorizes by killing the germs that cause odors
  - [Designed] For daily use -or- Use for daily [or] [discharge] cleaning [in Healthcare facilities]
  - Designed for killing Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff<sup>¥</sup>)] [spores] on hard, nonporous surfaces in hospitals
  - Designed for killing -or- controlling -or- eliminating Clostridium difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> -or- C. difficile<sup>¥</sup> spores on hard, nonporous surfaces [and patient care equipment] in hospitals [and other healthcare facilities].
  - Destroys -or- deactivates -or- [helps] eliminate [tough to kill] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff<sup>¥</sup>)] [spores] on hard, nonporous hospital surfaces
  - Disinfecting formula
  - Disinfects [and deodorizes]
  - Disinfects and deodorizes by killing germs and their odors
  - Disinfects hard, nonporous surfaces [throughout the **insert use site(s) from tables 1-5**]
  - Does not require [the hassle of] dispensing systems
  - Disinfectant
  - Easy and convenient disinfecting [throughout the **insert use site(s) from tables 1-5**]
  - Easy, one-step cleaning and disinfecting<sup>‡</sup>
  - Effective against -or- kills [Influenza A virus H1N1] [H1N1] **Insert any organism from organism list on pages 10 and 11** [and] [C. difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> spores].
  - Effective against -or- Kills Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa [in the presence of organic soil [(5% blood serum)]]
  - Effective against -or- Kills **insert any organism(s) from list on pages 10 and 11 except Clostridium difficile** [in the presence of organic soil [(5% blood serum)]]
  - Effective -or- for daily use against Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff<sup>¥</sup>)] [spores]
  - Effective against -or- Kills **X number** of pathogens -or- organisms
  - Effective disinfectant cleaner [and Clostridium difficile<sup>¥</sup> sporicide] [for use in hospitals, ambulatory care centers, long term care facilities, and other healthcare facilities.]
  - [Effectively] disinfects hard, nonporous surfaces
  - Eliminates odors at their source [caused by germs -or- bacteria]
  - Eliminates -or- Reduces odors [caused by germs -or- bacteria]
  - Exhibits effective virucidal<sup>‡</sup> activity
  - Fight[s] -and/or- kill[s] -and/or- Effective against [99.9% [of]] Escherichia coli (NDM-1) - [CDC 1000654] -and/or- ESBL producing Escherichia coli
  - Fight[s] -and/or- kill[s] -and/or- Effective against [99.9% [of]] Salmonella enterica [(Salmonella)]
  - Fight[s] -and/or- kill[s] -and/or- Effective against Avian Influenza A virus [on hard, nonporous surfaces]
  - Fight[s] -and/or- kill[s] -and/or- Effective against cold -and/or- flu [virus[es]]<sup>△△△</sup>
  - Fight[s] -and/or- Kill[s] -and/or- Effective against **insert any organism from list on pages 10 and 11 -or- 10-11** [in **insert appropriate contact time for respective organism**].
- <sup>¥</sup> Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]  
<sup>△△△</sup> Rhinovirus, Influenza A Virus, Influenza A Virus H1N1, Influenza B Virus, Avian Influenza A Virus  
<sup>‡</sup> when used according to the directions

***Pesticidal Claims continued:***

**Now[!] -and/or- New[!] -and/&/or- ~~Improved~~[!] to be used as a claims descriptor only for the first 6 months of product on shelf.**

- Fight[s] -and/or- kill[s] -and/or- Effective against [Human] Hepatitis A virus [(HAV)]
  - Fight[s] -and/or- kills[s] -and/or- Effective against measles virus on hard, nonporous surfaces
  - Fight[s] -and/or- stop[s] -and/or- help[s] prevent[s] -and/or- reduce[s] the spread of [99.9% of] [illness-causing] bacteria -and/or- viruses<sup>‡</sup> -and/or- germs on hard, nonporous surfaces [in your **insert use site(s) from tables 1-5**] [this cold -and/or- flu season]
  - Formulated to kill Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup> [spores]
  - Fungicide -or- Fungicidal
  - Germicide -or- Germicidal
  - Kills Influenza A virus [Flu Virus]
  - Kills [99.99%] bacteria, viruses<sup>‡</sup>, & fungi in 1 min[ute] on hard, nonporous surfaces
  - Kills [99.9% of] Germs
  - Kills bacteria -and/or- viruses<sup>‡</sup> -and/or- fungi -and/or- C. difficile<sup>¥</sup> spores.
  - Kills bacteria, viruses<sup>‡</sup>
  - Kills both Influenza A and B viruses
  - Kills Candida albicans
  - Kills C. diff<sup>¥</sup> in 3 minutes [in the presence of [three part] soil]
  - Kills Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup> [spores] [in 3 min[utes]] [on hard, nonporous surfaces]
  - Kills Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [spores] [in 3 min[utes]] [on [precleaned,] hard, nonporous surfaces]
  - Kills common fungi
  - Kills [effective against] both enveloped and nonenveloped viruses<sup>‡</sup> [on hard, nonporous surfaces]
  - Kills [effective against] CRE<sup>◇◇</sup> [(Carbapenem-resistant Enterobacteriaceae)]
  - Kills [effective] against Enterovirus D68 [on hard, nonporous surfaces]
  - Kills Germs -and/or- Flu Viruses<sup>†</sup>
  - Kills **insert any organism from list on pages 10 and 11** [in **insert contact time**]
  - Kills -or- Is effective against [99.9999%] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [spores] [in 3 min[utes]] [min] [on Precleaned, hard, nonporous surfaces].
  - Kills common causes of flu viruses<sup>†</sup> [in US]
  - Kills Norovirus, a pathogen -or- organism commonly spread through surfaces
  - Kills odor-causing bacteria -or- germs
  - Kills -or- Effective against bacteria -and/or- germs -and/or- viruses<sup>‡</sup>
  - Kills -or- Is effective against [99.9999%] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup> [spores] [in 3 min[utes]] [on hard, nonporous surfaces]
  - Kills -or- Is effective against [99.9999%] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup> [spores] [in 3 min[utes]], [in the presence of [three (3) part] soil [load]] [on hard, nonporous surfaces]
  - Kills Pandemic 2009 H1N1 Influenza A virus [(formerly called swine flu)].
  - Kills the spore form of Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup>
  - May be used as part of a comprehensive approach to Clostridium difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> -or- C. difficile<sup>¥</sup> spore control.
  - Meets [the disinfection requirements of] OSHA[’s] Bloodborne Pathogens Guideline -or- Standard
  - Multi-purpose disinfectant
  - One-step cleaner and disinfectant<sup>‡</sup>
  - One-step cleaning and disinfecting<sup>‡</sup> [saves time]
  - One-step<sup>‡</sup> disinfectant cleaner designed for general cleaning and disinfecting hard, nonporous surfaces in health care facilities -or- **insert use site(s) from table 1**
  - Parvovirucide<sup>‡</sup> -or- Parvovirucidal<sup>‡</sup>
  - Passes -and/or- Meets -and/or- Satisfies EPA requirements for killing [Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup>] spores.
  - **Product Name** -or- This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses.
  - Pseudomonacidal<sup>◇◇◇</sup>
  - Ready-to-Use 1:10 Dilution of Bleach [(6.0%)] [and Detergent]
  - Ready-to-use disinfectant [disinfection] for [killing] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]<sup>¥</sup> [spores]
  - Ready-to-Use [Cleaner] [and] Disinfectant
  - [Ready-to-use] hospital disinfectant
  - [Refer to] see [Clorox ] [Terminal] [Cleaning] protocol for additional [cleaning] information
- † Influenza A virus, Influenza B virus  
††† Influenza A virus, Influenza B Virus, Adenovirus Type 2, Enterovirus EV-D68  
◇ Rotavirus, Norovirus, Campylobacter jejuni, Salmonella enterica  
◇◇ Escherichia coli (NDM-1) [CDC 1001728], Klebsiella pneumoniae (NDM-1) [CDC 1000527]  
△△ Escherichia coli, Enterococcus faecium (VRE), Klebsiella pneumoniae, Pseudomonas aeruginosa, Candida albicans  
¥ Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]  
‡ when used according to the directions  
◇◇◇ Pseudomonas aeruginosa

***Pesticidal Claims continued:***

**Now[!] -and/or- New[!] -and/&/or- ~~{Improved}~~[!] to be used as a claims descriptor only for the first 6 months of product on shelf.**

- Renders Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores] inactive
  - Sporicidal<sup>§</sup>
  - Tested against the clinically relevant 43598 strain of Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> spores
  - Tested under the ***insert current test method*** as of ***date of test method***
  - [This product] controls the spread of germs on most hard, nonporous surfaces
  - This product meets EPA efficacy testing requirements -or- standards for hospital disinfection
  - To decontaminate Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores] laden surfaces
  - To fight Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores] on surfaces
  - To kill Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores], let stand for 3 min[utes]
  - To kill [inactivate] [[help] prevent the spread of] Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores] on surfaces
  - To reduce Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff <sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores] on surfaces in ***insert use site from tables 1-5***
  - To reduce cross-contamination on treated surfaces of Clostridium difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff <sup>¥</sup>)] [spores]
  - Use in public -or- common places where [bacteria -and/or- viruses<sup>‡</sup> -and/or- germs may be of concern] [you are concerned about bacteria -and/or- viruses<sup>‡</sup> -and/or- germs] [on hard, nonporous surfaces]
  - Use ***insert product name*** for cleaning and disinfecting surfaces contaminated with Clostridium difficile spores
  - Virucide<sup>‡</sup> -or- Virucidal<sup>‡</sup>
  - When used according to label directions, ***this product*** reduces exposure to Clostridium difficile<sup>¥</sup> -or- Clostridium difficile<sup>¥</sup> (C. diff<sup>¥</sup>) -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> from contact [on treated surfaces]
- <sup>¥</sup> Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

***Optional Text. For use on product label or collateral labeling***

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. ***This product*** -or- Product Name is a broad spectrum hard surface disinfectant that has been shown to be effective against Influenza A virus tested and is expected to inactivate all Influenza A viruses.

**Note: Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information and phrase sequence are optional unless specified in 40 CFR 156.10. Variables such as CAPITALIZATION, plurals or singular, bold and italics are optional unless specified in 40 CFR.] Optional text may be placed anywhere on the label/container. Listed uses and use sites can be used partially or in their entirety. **Highlighted** text is new. Strike-through (text) means removed.  
R0886108

<b>ORGANISMS:</b>	<b>[Strain and/or ATCC number]</b>
<b>Bacteria:</b> 1 min[ute] contact time	
Acinetobacter baumannii [(A. baumannii)]	[ATCC 19606]
Bordetella pertussis [(B. pertussis )]	[ATCC 12743]
Campylobacter jejuni [(C. jejuni)]	[ATCC 29428]
Carbapenem resistant Klebsiella pneumoniae [(CRKP)]	[ATCC BAA-1705]
Enterobacter aerogenes [(E. aerogenes)]	[ATCC 13048]
Enterobacter cloacae - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [(NDM-1 E. cloacae)]	[CDC 1000654]
Enterococcus hirae	[ATCC 10541]
ESBL (Extended Spectrum Beta Lactamase) producing Escherichia coli [(ESBL producing E. coli)]	[ATCC BAA-196]
ESBL (Extended Spectrum Beta Lactamase) producing Klebsiella pneumoniae [(ESBL producing K. pneumoniae)]	[CDC 700603]
Escherichia coli - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [(NDM-1 E. coli)]	[CDC 1001728]
Klebsiella pneumoniae [(K. pneumoniae)]	[ATCC 4352]
Klebsiella pneumoniae - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [(NDM-1 K. pneumoniae)]	[CDC 1000527]
[Methicillin resistant] Staphylococcus aureus (MRSA) [(Methicillin resistant S. aureus)]	[ATCC 33592]
[ <sup>1</sup> ]Multi-drug resistant [(MDR)] Enterococcus faecium [(MDR E. faecium)] <sup>[1]</sup>	[ATCC 51559]
Proteus mirabilis [(P. mirabilis)]	[ATCC 9240]
Pseudomonas aeruginosa [(P. aeruginosa)]	[ATCC 15442]
Salmonella enterica <b>tested as Salmonella choleraesuis</b> [(S. enterica)]	[ATCC 10708]
Serratia marcescens [(S. marcescens)]	[ATCC 14756]
Staphylococcus aureus [(S. aureus)]	[ATCC 6538]
Staphylococcus epidermidis [(Coagulase Negative staphylococci)] [(CoNS)]	[ATCC 12228]
Streptococcus pyogenes [(S. pyogenes)]	[ATCC 19615]
Stenotrophomonas maltophilia [(S. maltophilia)]	[ATCC 25596]
Streptococcus pneumoniae [(S. pneumoniae)]	[ATCC 6305]
Vancomycin Resistant Enterococcus faecalis [(VRE)]	[ATCC 51575]
Vancomycin intermediate resistant Staphylococcus aureus [(VISA)]	[HIP 5836]
Vancomycin resistant Staphylococcus aureus [(VRSA)]	[NARSA VRS1]
Vancomycin resistant Enterococcus faecium [(VRE)]	[ATCC 51559]
<b>Bacteria:</b> 3 min[ute] contact time	
<sup>∅</sup> Clostridium difficile <sup>∅</sup> -or- C. difficile <sup>∅</sup> -or- C. diff <sup>∅</sup> spores <sup>[∅]</sup>	[ATCC <del>700792</del> 43598]
<b>Fungi:</b> 1 min[ute] contact time	
Candida albicans [(C. albicans)]	[ATCC 10231]
Trichophyton mentagrophytes [(T. mentagrophytes)] [(Athlete's Foot Fungus)]	[ATCC 9533]

<sup>∅</sup>Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

**[<sup>1</sup>This strain of MDR Enterococcus faecium has shown resistance to the following antibiotics:**

- Ampicillin
- Gentamicin
- Penicillin]

**Note: Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information and phrase sequence are optional unless specified in 40 CFR 156.10. Variables such as CAPITALIZATION, plurals or singular, bold and italics are optional unless specified in 40 CFR.] Optional text may be placed anywhere on the label/container. Listed uses and use sites can be used partially or in their entirety. **Highlighted** text is new. Strike-through (text) means removed. R0886108

<b>ORGANISMS:</b>	<b>[Strain and/or ATCC number]</b>
<b>Viruses:</b> 1 min[ute] contact time	
<b>[Enveloped]</b>	
‡Avian Influenza A (H3N2) Virus [(Avian Reassortant)]	[ATCC VR-2072] [Strain A/Washington/897/80XA/Mallard/New York/6750/78]
‡, ‡‡Hepatitis B Virus [HBV] (Duck Hep B Virus (DHBV) as surrogate)	
‡, ‡‡Hepatitis C Virus [HCV] (Bovine Viral Diarrhea Virus (BVDV) as surrogate)	
‡Herpes Simplex Virus Type 2 [(HSV-2)]	[MS Strain]
‡, ‡‡Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus)	[Strain HTLV-3]
‡Influenza A Virus	[ATCC VR-544] [Strain Hong Kong]
‡Influenza A H1N1 [2009] [Pandemic] Virus	
<del>‡‡</del> Influenza B Virus	[ATCC VR-823] [Strain B/Hong Kong/5/72]
<del>‡‡</del> Measles Virus	[ATCC VR-24]
<del>‡‡</del> MERS -Coronavirus [(Middle East Respiratory Syndrome Coronavirus)] [(MERS-CoV)]	
<del>‡‡</del> SARS - Associated Coronavirus [(SARS - CoV)]	[CDC CDC#200300592]
<b>[Non-enveloped]</b>	
<del>‡‡</del> Adenovirus type 2	[ATCC VR-846] [Strain Adenoid 6]
<del>‡‡</del> Canine Parvovirus	[ATCC VR-2017] [Strain Cornell]
<del>‡‡</del> Enterovirus type D68	[NR-49132] [Strain US/KY/14-18953]
‡Feline Panleukopenia Virus [Feline Parvovirus]	[ATCC VR-648] [Strain Phillips-Roxane]
‡Hepatitis A Virus [(HAV)]	[Strain HM-175]
‡Norovirus (Feline Calicivirus as surrogate)	[ATCC VR-782]
‡Poliovirus [Type 1]	[(Mahoney Strain)]
‡Poliovirus [Type 1]	[Chat strain, ATCC VR-1562]
‡Rhinovirus [Type] 37 [a causative agent of the common cold]	[ATCC VR-1147] [Strain 151-1]
‡Rotavirus	[ATCC VR-899] [Strain SA-11]
<b>Bloodborne Pathogens</b>	
‡, ‡‡Hepatitis B Virus [HBV] (Duck Hep B Virus (DHBV) as surrogate)	
‡, ‡‡Hepatitis C Virus [HCV] (Bovine Viral Diarrhea Virus (BVDV) as surrogate)	
‡, ‡‡Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus)	[Strain HTLV-3]

‡ Viruses  
 ‡‡ Bloodborne Pathogens

Multipurpose, broad spectrum cleaner disinfectant for use in healthcare and other areas where control of cross contamination on surfaces is required. Meets OSHA Bloodborne Pathogens Standard. May be used for instrument pre-cleaning and disinfection of non-critical instruments.  
**Surfaces:** May be used on hard, nonporous surfaces such as *insert surface from Hard Nonporous Surface Materials*

**Table A Medical hard, nonporous surfaces:**

acute care facilities	high touch surfaces
autoclaves[††]	[hospital -or- patient] bed railings -or- linings -or- frames
bed pans	[inner] [inside of] drawers
bed railing	IV poles
behind and under wash basins**	mammography equipment[††]
blood glucose monitors[††]	patient chairs
cabinet handles	phlebotomy trays
closet handles	phone cradle[††]
coated mattresses	pipes
coated pillows	[plastic -or- vinyl] mattress covers
desktops	reception counters -or- desks -or- areas
[exam -or- examination] tables	shower fixtures
exterior surfaces of air vents -or- air vent	stretchers
exteriors	transducers[††]
external surfaces of [medical] equipment -or- [medical] equipment surfaces[††]	wheelchairs
external surfaces of dialysis machines[††]	[†† For any use site that includes electronics -or- electronic components, [please] refer to manufacturers' instructions. [for appropriate use] [before use] [.]
external surfaces of respiratory equipment[††]	
external [surfaces of] ultrasound transducers and probes[††]	
gurneys	
hard, nonporous hospital -or- medical surfaces	** hard, nonporous surfaces of

**Table 1 Medical Use Sites**

ambulance -or- [emergency medical] transport vehicles	medical facilities
anesthesia rooms -or- areas	medical -or- physicians's -or- doctor's offices
[assisted living -or- full care] nursing homes	neonatal intensive care units [(NICU)]
[bed] head [foot] board	newborn -or- neonatal nurseries
blood banks	nurse-call [device] [button] [and cord] nursing -or- nurses' stations,
[blood] [plasma] [semen] [milk] [apheresis] donation centers	nursing -or- rest homes
blood pressure [bp] monitors[††]	operating room[s] -or- OR[s]
carts	ophthalmic offices
CAT labs -or- laboratories	orthopedic[s] [clinics]
central service	outpatient clinics
central service areas	outpatient surgical centers [(OPSC)]
central supply rooms -or- areas	patient care areas
chemotherapy hoods[††]	patient restrooms
critical care units -or- CCUs	patient rooms
dialysis clinics	[pediatric] exam -or- examination rooms -or- areas
dialysis machines[††]	pediatric intensive care units [(PICU)]
emergency rooms -or- ERs	pharmacies
exam -or- examination rooms	physical therapy rooms -or- areas
[eye] surgical centers	physician offices
footboards	radiology -or- x-ray rooms -or- areas
glucometer -or- blood glucose monitors[††]	recovery rooms
headboards	rehabilitation
health care settings -or- facilities	respiratory therapy rooms -or- areas
home health care	sill[s] ledge[s]
hospices	surgery rooms -or- operating rooms -or- ORs
[hospital] kitchens	transport vehicles
hospitals	[tv] remote[s] [control][s][††]
intensive care units -or- ICUs	ultrasound transducers [and probes][††]
isolation areas	
IV stands	[†† For any use site that includes electronics -or- electronic
labs -or- laboratories	components, [please] refer to manufacturers' instructions.
[Mayo] [instrument] stands	[for appropriate use] [before use] [.]
[medical] clinics	

**Table B Dental hard, nonporous surfaces:**

chairs	hard, nonporous dental surfaces
counters	light lens covers
dental countertops	reception counters -or- desks -or- areas
[dental] operator hard surfaces	
dentist -or- dental chairs	

**Table 2 Dental Use Sites**

dental clinics	dental -or- dentist's offices
dental operatories	labs -or- laboratories

**Table C Veterinary hard, nonporous surfaces:**

animal equipment	stalls
automatic feeders	troughs
cages	vet -or- veterinary clinic surfaces
external surfaces of [veterinary] equipment	veterinary -or- vet care surfaces
feed racks	watering appliances[††]
fountains	
hard, nonporous veterinary surfaces	[†† For any use site that includes electronics -or- electronic components, [please] refer to manufacturers' instructions. [for appropriate use] [before use] [.] ]
pens	
reception counters -or- desks -or- areas	

**Table 3 Veterinary Use Sites**

animal hospitals	livestock -and/or- swine -and/or- poultry facilities
animal housing facilities	pet areas
animal life science labs -or- laboratories	pet shops -or- stores
[animal -or- pet] grooming facilities	small animal facilities
equine farms	veterinary -or- vet clinics -or- facilities -or- hospitals
farms	veterinary -or- vet offices
kennels	veterinary -or- vet hospitals

**Table D Food service hard, nonporous surfaces:**

A potable water rinse is required for food contact surfaces. Do not use on glassware, utensils, or dishes.

any washable surface[s] where disinfection is required:	ovens <sup>***</sup> , [††]
appliances <sup>***</sup> , [††]	refrigerators <sup>***</sup> , [††]
dish racks	salad bar sneeze guards
drain boards	stoves -or- stovetops <sup>***</sup> , [††]
food cases	<sup>***</sup> exterior surfaces of
food trays	[†† For any use site that includes electronics -or- electronic components, [please] refer to manufacturers' instructions. [for appropriate use] [before use] [.] ]
freezers <sup>***</sup> , [††]	
hoods	
microwaves <sup>***</sup> , [††]	
outdoor furniture (excluding wood frames and upholstery)	

**Table 4 Food Service Use Sites**

bars	food preparation and processing areas
cafeterias	food [service -or- processing] establishments
commercial -or- institutional kitchens	restaurants
delis	school kitchens
fast food chains -or- restaurants	

**Table E Miscellaneous/General hard, nonporous surfaces:**

[bathroom] fixtures	hand railings
[bath] tubs	headsets[††]
behind and under counters	highchairs
behind and under sinks	lamps[††]
booster chairs	linoleum
cabinets	other telecommunication[s] equipment [surfaces][††]
ceilings	playpens
cell[ular] -or- wireless -or- mobile -or- digital phones[††]	shelves
chairs	shower -or- shower stalls
[computer] keyboards[††]	sinks
counters -or- countertops	stall doors
cribs	tables
desks	[tele]phones[††]
[diaper -or- infant] changing tables	[tiled] walls
diaper pails	toilet rims
dictating equipment [surfaces][††]	toilet seats
doorknobs	towel dispensers
exterior -or- external toilet surfaces	toys
exterior -or- external urinal surfaces	vanity tops -or- vanities
faucets	
floors	[†† For any use site that includes electronics -or- electronic components, [please] refer to manufacturers' instructions. [for appropriate use] [before use] [.] ]
garbage -or- trash cans	
[grocery store -or- supermarket] carts	
hampers	

**Table 5 Miscellaneous/General Use Sites**

airplanes	laundry rooms
bowling alleys	locker rooms
butcher shops	long term care facilities
changing tables	manufacturing plants -or- facilities
churches	military installations
colleges	motels
correctional facilities	nursing homes
day care centers	playpens
dormitories	produce areas
factories	public areas
funeral homes -or- mortuaries	recreational centers -or- facilities
doorknobs	restrooms -or- restroom areas
grocery stores	school buses
gymnasiums -or- gyms	schools
hand railings	shelters
health club[s] facilities	shower rooms
highchairs	storage rooms -or- areas
hotels	supermarkets
industrial facilities	trains
laundromats	universities

***Hard Nonporous Surface Materials:***

[baked] enamel	glazed ceramic tile	porcelain enamel
chrome	glazed porcelain	similar hard, nonporous surfaces
[common] hard, nonporous	plastic [lamine]5	except for those excluded by
[household] surfaces	laminated surfaces	the label
fiberglass (sealed) surfaces	Marlite™[®][3]	stainless steel
Formica™[®][2]	[nonporous] vinyl [tile]	synthetic marble
glass	Plexiglas®[4]	

[2] Formica is a [registered] trademark of [The Diller Corporation] [a subsidiary of] [Formica] [Formica Corporation] [or one or more of its affiliates].

[3] Marlite is a [registered] trademark of [Marlite, Inc.] [a subsidiary of] [Marlite, Inc.] [or one or more of its affiliates].

[4] Plexiglas is a [registered] trademark of [Arkema, Inc.] [a subsidiary of] [Arkema, Inc.] [or one or more of its affiliates].

5 For unfamiliar surfaces, test in a small, inconspicuous area first. Consult medical equipment warranty information and equipment care and cleaning guides prior to selecting and using any surface disinfectant on plastic surfaces.

**Not Recommended For Use On -or- Avoid Contact With:**

aluminum	copper	natural marble	sealed marble
brass	Corian™[®][6]	painted surfaces	silver
chipped enamel	fabric	paper surfaces	[unfinished] wood
chrome	finished wood	rubber	
clothes	galvanized steel	sealed granite	

[6] Corian is a [registered] trademark of [E. I. du Pont de Nemours and Company] [a subsidiary of] [E. I. du Pont de Nemours and Company] [or one or more of its affiliates].